

Fig. 1.






Fig.2.




O.G. FIG.	SUBCLASS	
	CLASS	
APPROVED BY	DRAFTSMAN	

Fig.3.



APPROVED	O.G. FIG.
BY	CLASS SUBCLASS
DRAFTSHAH	


Fig.4.



09581036 000800

Fig.5.

A



B



APPROVED	0.5. FIG.	CLASS	SUBCLASS
BY			
DRAFTSMAN			

000000" 93079560

APPROVED	D.G. FIG.
CV	CLASS SUBCLASS
DRAFTSMAN	

Fig.6.







Fig.7.



8/16

O.G. FIG.		
APPROVED	CLASS	SUBCLASS
CY		
DRAFTSMAN		

Fig.8.




09581036, 000000



10/16


APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

Fig.10.




9/16

Fig.9.



APPROVED BY DRAFTSMAN	0.6.FIG.
	CLASS
	SUBCLASS


Fig.11.



12/16

APPROVED	0.9. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	



Fig.12.



09581036.000000

APPROVED	O.O. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	

Fig.13.



APPROVED	0.6 FIG.
DY	CLASS
DRAFTSMAN	SUBCLASS

Fig.14.





Fig.15.



09581036 .000000

Fig.16.



Zymogramme gel analysis

wt		2		3		4		5		7		13	
0	1	0	1	0	1	0	1	0	1	0	1	0	1

0 without induction  
1 induced for 3 wks





Fig.17.



APPROVED	O.G. FIG.
BY	CLASS/SUBCLASS
DRAFTSMAN	

Fig.18.

